

Teste a snodo SI BEF16SO-21-502-DURBAL - BEF16SO-21-502-DURBAL

<https://www.123cuscinetti.ch/cuscinetti-supporti/teste-snodo/si/bef16so-21-502-durbal>

BEF16SO-21-502



rod end housing:
forged steel, tempered, surface galvanized, free of Cr VI


joint ball:
ball bearing steel, hardened and ground, surface superfinished and chromium plated

race:
nylon / teflon / glass fibre compound

tolerances:
see page 10

DURBAL® heavy-duty rod ends with integral spherical plain bearing

female thread:
maintenance free, adapter sizes according to DIN ISO 12240-4, series K, thread according to ISO 8139



| order number | | measurements [mm] | | | | | | | | | |
|-------------------|------|-------------------|----------------|----------------|----------------|-----------------------------|-----------------------------|----------------|----------------|-------------------|----------------|
| type | type | d ₁ | d ₂ | d ₃ | d ₄ | d ₅ | d ₆ | d ₇ | d ₈ | b ₁ | b ₂ |
| BEF 16 SO -21 | -502 | 16 | 22,0 | M 16 x 1,5 | 42 | 27 | 28,52 | 21 | 15,0 | | |
| measurements [mm] | | weight | | | | | | | | | |
| type | h | l | l ₁ | l ₂ | SW | α ₁ ¹ | α ₂ ² | weight | | basic load rating | |
| BEF 16 SO | 64 | 28 | 8,0 | 22 | 22 | 15,5 | 8,5 | 0,233 | | 22410 59600 | |

CARATTERISTICHE DEL PRODOTTO

| | |
|------------------|------------------|
| Marchio | DURBAL |
| N° Ean13 | 3663952508177 |
| Diametro interno | 16 mm |
| Diametro esterno | 42 mm |
| Spessore | 21 mm |
| Tipo | SI |
| Peso | 233 g |
| Il filo | Filetto sinistro |
| Lubrificazione | senza |
| Imballaggio | 1 |

contatto@123cuscinetti.ch

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE