

Cuscinetti a sfera fila unica W61904-2RS1-SKF - W61904-2RS1-SKF

<https://www.123cuscinetti.ch/cuscinetti-supporti/cuscinetti-sfera/fila-unica/w61904-2rs1-skf>

Dimensions d'encadrement		Charges de base		Vitesses de base		Désignation
d	D	B	dynamique	statique	Vitesse de référence	Vitesse limite
mm			C	C ₀	tr/min	
20	37	9	5,4	3,55	-	12000
<p>Technical drawing showing two views of the bearing. The left view shows the outer diameter (D=37), inner diameter (d=20), and width (B=9). The right view shows the outer diameter (D=37), inner diameter (d=20), and width (B=9). The drawing also indicates the presence of two rubber seals (2RS1) and provides the following coefficients: k_r 0,02 and k_t 15.</p>						

CARATTERISTICHE DEL PRODOTTO

Marchio	SKF
N° Ean13	7316570936667
Diametro interno	20 mm
Impermeabilizzazione	Tenuta su ambo i lati
Gabbia	Lamiera
Radial class	CN
Diametro esterno	37 mm
Spessore	9 mm
Velocità limite	12000 rpm
Peso	36 g
Carico dinamico	5.53 kN
Carico statico	3.65 kN
Imballaggio	1

contatto@123cuscinetti.ch

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE